



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

PORT OF CEBU—Continued.

Number of passengers inspected—	
Cabin	221
Steerage.....	518
Total.....	739
Total number of crew inspected.....	
Total number of persons vaccinated.....	1,954
	896

PORT OF ILOILO.

Bills of health issued to foreign ports	3
Number of vessels inspected—	
From foreign ports.....	1
From domestic ports	32
Total.....	33
Number of passengers inspected—	
Cabin	116
Steerage.....	1,315
Total	1,431
Number of crew inspected	
	1,210

Respectfully,

J. C. PERRY,

*Passed Assistant Surgeon, U. S. M. H. S.,
Chief Quarantine Officer for the Philippine Islands.*

The SURGEON-GENERAL,
U. S. Marine-Hospital Service.

Foreign and insular statistical reports of countries and cities—Yearly and monthly.

BAHAMAS—*Dunmore Town*.—Two weeks ended June 7, 1901. Estimated population, 1,472. Three deaths. No contagious diseases.

Governors Harbor.—Two weeks ended June 8, 1901. Estimated population, 1,375. No deaths and no contagious diseases.

Green Turtle Cay—Abaco.—Two weeks ended June 6, 1901. Estimated population, 3,900. No deaths and no contagious diseases reported.

Nassau.—Two weeks ended June 11, 1901. Estimated population, 12,000. No deaths and no contagious diseases reported.

BRAZIL—*Ceara*.—Month of April, 1901. Estimated population, 50,000. Total number of deaths, 127, including enteric fever, 17, and 1 from smallpox.

CUBA—*Havana*.—Month of May, 1901. Population, 255,555. Total number of deaths, 517, including enteric fever, 16; yellow fever, 1, and 69 from tuberculosis.

GERMANY—*Kehl*.—Month of April, 1901. Estimated population, 151,041. Total number of deaths, 298, including diphtheria, 10; measles, 1; whooping cough, 1; typhus, 5, and 36 from tuberculosis.

GREAT BRITAIN—*England and Wales*.—The deaths registered in 33 great towns in England and Wales during the week ended June 1, 1901,

correspond to an annual rate of 16.3 per 1,000 of the aggregate population, which is estimated at 11,463,187. The highest rate was recorded in Hull, viz, 22.5, and the lowest in Brighton, viz, 9.3.

Bradford.—Two weeks ended June 1, 1901. Estimated population, 279,809. Total number of deaths, 194, including diphtheria, 2; measles, 1; scarlet fever, 3; whooping cough, 11, and 20 from phthisis pulmonalis.

London.—One thousand three hundred and forty-five deaths were registered during the week, including measles, 48; scarlet fever, 17; diphtheria, 13; whooping cough, 33; enteric fever, 10, and diarrhea and dysentery, 14. The deaths from all causes correspond to an annual rate of 15.4 per 1,000. In Greater London 1,778 deaths were registered, corresponding to an annual rate of 14.0 per 1,000 of the population. In the "outer ring" the deaths included 6 from diphtheria, 9 from measles, 2 from scarlet fever, and 11 from whooping cough.

Ireland.—The average annual death rate represented by the deaths registered during the week ended June 1, 1901, in the 22 principal town districts of Ireland was 21.4 per 1,000 of the population, which is estimated at 1,058,722. The lowest rate was recorded in Portadown, viz, 6.2, and the highest in Ballymena, viz, 33.8 per 1,000. In Dublin and suburbs 164 deaths were registered, including diphtheria, 1; enteric fever, 1, and 2 from whooping cough.

Scotland.—The deaths registered in 8 principal towns during the week ended June 1, 1901, correspond to an annual rate of 20.1 per 1,000 of the population, which is estimated at 1,652,928. The lowest mortality was recorded in Leith, viz, 12.9, and the highest in Paisley, viz, 26.7 per 1,000. The aggregate number of deaths registered from all causes was 638, including diphtheria, 4; measles, 17; scarlet fever, 1; smallpox, 2, and 47 from whooping cough.

SPAIN—*Corunna.*—Month of May, 1901. Estimated population, 40,500. Total number of deaths, 105, including smallpox, 1, and 25 from tuberculosis.

Vigo.—Month of May, 1901. Estimated population, 20,000. Total number of deaths, 34, including 1 from typhus.